

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

October 29, 2014

#### WELL WORK PERMIT

#### Rework-Secondary Recovery

This permit, API Well Number: 47-3303964, issued to HG ENERGY, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

Chief

James Martin

Operator's Well No: J. T. WILLIAMS 12

Farm Name: FLETCHER, FREDERICK, ETAL

API Well Number: 47-3303964

Permit Type: Rework-Secondary Recovery

Date Issued: 10/29/2014

Promoting a healthy environment.

#### PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

#### **CONDITIONS**

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code §22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR 4-19.1.c, if the operator is unable to sample and analyze any water well or spring with one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours
- 7. Well work activities shall not constitute a hazard to the safety of persons.
- 8. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.

FORM WW-3 (B) 1/12



1) Date:	09/22/20	14				
2) Opera	tor's Well 1	No.	JT	Williams 12		
3) API W	/ell No.:	47		Harrison	+	3964
		State		County	-	Permit
4) LIIC P	ermit No.	HIC	2803	301AP		

## STATE OF WEST VIRGINIA NOTICE OF LIQUID INJECTION OR WASTE DISPOSAL WELL WORK PERMIT APPLICATION FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

FOR THE	DEPAR	TMENT	OFEN	VIRON	MENTAL	L PROTECTI	ON, OFF	ICE OF OI	L AND GAS
5) WELL TYPE: 6) LOCATION:		l Injection	n	_ /	Gas Inject	tion (not storage		_ / Wa	ste Disposal
o) Location.	District:			9	Cou			Quadrang	le Wolf Summit 7.5' 69 2
7) WELL OPERA			37150			8) DESIGNAT	ED AGEN	NT Diane W	/hite
Addı Addı		260 Dupon					Address	The state of the second	pont Road
Addi	-		, WV 2610	11					ourg, WV 26101
9) OIL & GAS IN:						10) DRILLING	GCONTR.	ACTOR	
		CIODE	NOTIFIE	ענ		Name To	be Determin	ed upon Appr	oval of Permit
	3ox 2327					Address			
	annon, WV	26201							
Buckn	annon, vv v	20201					101 SAME COM		
11) PROPOSED V		]		hysical c	hange in w	/ Performell (specify)	_ / Red ate new fo		/ Stimulate // Convert to 2978' Feet (bottom)
12) GEOLOGIC T	ARGET	FORMA'	TION _F	ifth Sand		Depth	The second secon	Feet	10 2570 1 001 (0011011)
13) Estimated Dep	oth of Con	npleted W	/ell, (or a	ctual de	oth of exist	ing well):3	134'	1180'	_ Feet 9.129/2011
14) Approximate v	water strat	ta depths:		sh _ 450	0'	Feet	Salt _	1100	_ reet 1101100
15) Approximate of	coal seam	depths:		05'					
16) Is coal being n	nined in tl	he area?	Yes		No	VEst:	4		
17) Virgin reservo	ir pressur	e in targe	t formation	on60	psig	s Source	Estimated		ooe : (DIJED)
18) Estimated rese	ervoir frac	ture press	sure					,000	psig (BHFP)
19) MAXIMUM I	PROPOSI	ED INJEC	CTION O	PERAT	IONS: V	olume per hour	25 bbl/h	Bottom h	ole pressure 2400 psi
20) DETAILED I	DENTIFI	CATION	OF MAT	ERIAL	S TO BE I	NJECTED, INC	CLUDING	ADDITIVE	S Fresh water, produced
water, bactericio	des and oth	er chemic	als as need	led to ma	intain water	quality and impro	ve oil recove	ery	
21) EII TEDC /IE	ANV	Cartridge f	ilters and/o	r coal be	d filters				
22) SPECIFICAT	IONS FO	R CATH	ODIC PR	OTECT	ION AND	OTHER CORE	ROSION C	ONTROL	NA
23) CASING AND	TUBING I	PROGRAM	М						
CASING OR			ECIFICATI	ONS		FOOTAGE IN	TERVALS	CEMENT	PACKERS
TUBING TYPE	Size	Grade	Weight	New	Used	For Drilling	Left In	FILL -UP	
	35075		per ft.				Well	OR SACKS	
	1		8					(CU, FT.)	
Conductor									Kinds
Fresh Water	8 5/8"	LS	20#	X		701'	701'	Use Existing Casing	
Coal									Sizes
Intermediate									2.375" x 4.5"
Production	4 1/2"	J-55	10.5#	Х		3083'	3083'	EC - 425 sks	Depths set
Tubing	2 3/8"	J-55	4.6#	X		2850'	2850'		2750'
Liners	2 0/0	2.00							Perforations
Lillera	1		/					l .	Top Bottom
							Rec	elved	
	-						223	CH 2 C	as
24) APPLICANT	S ODED	ATING	HGHTS	vere aco	mired from	John T Wil	ffice ox	Con co	MANUAL 0
	5 OPER	ease	X /	other co	ontract	/ dated	02/17/189	8 C 201/	of record in the
by deed	/ 1	case	County Cl			Lease	-061	Book	105 Page <u>90</u>
Harrison			Jounty CI	CIK S OI		Loudo			

#### State of West Virginia Division of Environmental Protection Section of Oil and Gas

Well Operator's Report of Well Work

FLETCHER, FREDERICK ETAL Operator Well No.: J.T.WILLIAMS#12 Farm name:

Elevation: 1,454.00 Quadrangle: WOLF SUMMIT LOCATION:

District: TENMILE

District: TENMILE County: HARRISON
Latitude: 13050 Feet South of 39 Deg. 20Min. Sec.
Longitude 2250 Feet West of 80 Deg. 27 Min. 30 Sec.

<u>i</u>		7		
Company:PENNZOIL PRODUCTS COMPANY P. O. BOX 5519 VIENNA, WV 26105-5519 Agent: JAMES A. CREWS	Casing   &   Tubing	Used in	Left     in Well	Cement  Fill Up  Cu. Ft.
ngene. UMMED A. CREWS	Size		 I	 <sub>I</sub> To
Inspector: TIM BENNETT Permit Issued: 09/01/93 Well work Commenced: 10/27/93	8-5/8	701'	701'	Surface  255 Sks.
Well work Completed: 7/1/94 Verbal Plugging				
Permission granted on: Rotary X Cable Rig			! 	l 
Total Depth (feet) 3134' Fresh water depths (ft) N/A	4-1/2	3083'	3083'	  425 Sks.
Salt water depths (ft)N/A				
Is coal being mined in area (Y/N)?N Coal Depths (ft): 605'				   

OPEN FLOW DATA (Water Injection Well)

Producing formation	Fifth Sand	Pay zone depth (f	t)2962'-2978'
Gas: Initial open flow	MCF/d Oil	: Initial open flow	Ph1 /d
Final open flow	MCF/d	Final open flow	Bbl/d
Static rock Pressure	between initial	and final tests	Hours
Static rock Pressure	psig (sur	face pressure) after _	Hours
Second producing format		Pay zone depth (f	t)
Gas: Initial open flow	MCF/d Oil	: Initial open flow	Bbl/d
rinal open flow	MCF/d	Final open flow	Bbl/d
Time of open flow Static rock Pressure	between initial	and final tests	Hours
beacie rock Pressure	psig (sur	face pressure) after	Hours

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

	Received
For:	PENNZOIL PRODUCTS COMPANY Oil & Gas
	(2) / COUNTRY CITE OF CITE CITES
	By: 1 00 001 00 2014
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Date: 1 7/8 /94

#### Treatment

Perforated: Fifth Sand with 12 holes 2970'-2973'
Treated with 300 gal. 15% HCl 257 bbl. gelled water and 5000# 20/40 sand

#### Well Log

Sand & Shale	01 - 6051
Coal	605' - 612'
Sand & Shale	612' - '1393'
Sand.	1393' - 1430'
Shale	1430' - 1630'
Sand	1630' - 1670'
Shale Shale	1670' - 1934'
Big Lime	1934' - 1950'
Shale	1950' - 2043'
Big Injun	2043' - 2120'
Shale Shale	2120' - 2620'
Sand & Shale	2620' - 2962'
Fifth Sand .	2962' - 2978'

31341 ·T.D.

FORM WW-3 (A) 1/12



1)	Date:	Septe	mber 19,	2014			
2)	Operator	's Well	No.	J. T.	Williams 1	12	
3)	API Wel	1 No.:	47	-	033	-	
- 6			State	_ 1	County		Permit
4)	IIIC Dam	nit Na	1110	00000	04 AD		

## STATE OF WEST VIRGINIA NOTICE OF LIQUID INJECTION OF WASTE DISPOSAL WELL WORK PERMIT APPLICATION FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS,

시계에 가지 않아 있는데 얼마 얼마 나는데 하다.	ner(S) To Be Served	7) (a) Coal Ope	erator	
(a) Name	Frederick Fletcher	Name		
Address	5777 SR 21 Naples, NY 14512	Address		
(b) Name	Napies, N1 14512	7) (b) Coal Ow	vner(S) With Declaration Of Recor	rd
Address		Name		
rudress		Address		
(c) Name		Name		
Address		Address		
			'il D. I. d' OCD	
<ol><li>6) Inspector</li></ol>			ssee with Declaration Of Record	
Address		Name	Wolf Run Mining 2708 Cranberry Square	
		Address	Morgantown, WV 26505	
Telephone			Morgantown, WV 26505	
(3) The Cons	surveyor's map) showing the well truction and Reclamation Plan on rosion and sediment control and fo	Form WW-9 (unless the	well work is only to plug a well)	, which sets out the
The date	proposed for the first injection	or waste disposal is _		20 14 .
ADDITION TION	N YOU HAVE RECEIVED THE N WHICH ARE SUMMARIZED ATION [(FORM WW-3(B)] DES ALL.	IN THE "INSTRUCTION	ONS" ON THE REVERSE SIDE	OF THE COPT OF
Notice and Ap	at under Chapter 22-6 of the West plication and accompanying docu Department of Environmental P d depicted on the attached Form V	ments for a Well Work rotection, with respect	to a well at the location describ lotice, the Application, the plat, a	ed on the attached
Application an	on Plan have been mailed by regis in certain circumstances) on or be	stered or certified mail o	r delivered by hand to the person	(s) named above (or

"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator	HG Energy, LLC
AddressRecei	6260 Dupont Road
Office of C	Parkersburg, WV 26101
By:	Diake Wide
Its: 007 06	2Agent
Signature:	Diane White

376	U.S. Postal Service T.M.  CERTIFIED MAIL T.M. RECEIPT  (Domestic Mail Only; No Insurance Coverage Provided)
л	For delivery information visit our website at www.usps.com。  OFFICIAL USE
3460 0002 6850	Postage \$ /.6/ Certified Fee . 3.30  Return Receipt Fee (Endorsement Required)  Restricted Delivery Fee (Endorsement Required)  Total Postage & Fees \$ 7.6/
701E	Sent To  Wolf Run Mining  Street, Apt. No.; or PO Box No. 2708 Cranberry Sq  City, State, ZIP+4  Morgantown WV 26505  PS Form 3800, August 2006  See Reverse for Instructions

6309	U.S. Postal Service TAM CERTIFIED MAIL TAM RI (Domestic Mail Only; No Insurance	e Coverage Provided)
m	For delivery information visit our webs	Ite at www.usps.com
- 1	OFFICIA	LUSE
6850	Postage S / ( )	
	Certified Fee 3.30	(0)
000	Return Receipt Fee (Endorsement Required) Z.70	Postmark Here
	Restricted Delivery Fee (Endorsement Required)	
3460	Total Postage & Fees \$ 7.61	J. T.M. 1840
7012	Sent To Frederick FI Street, Apt. No.; or PO Box No. 5777 5R 21	etcher /
Le	City, State, ZIP+4 Naples NY	14512
	PS Form 3800, August 2006	See Reverse for Instructions

Received Office of Oil & Gas

OCT 06 2014

WW-9 Rev. 5/10

I	Page		of	
API Number 47	033		3956	
Operator's Well No	. JT Wil	liams 12		

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

GENI	ERAL PERMIT FOR OIL AND GA	AS PIT WASTE DISCHARGE	
Operator Name HG Energy, LLC		OP Code _ 494497948	
		drangleWolf Summit 7.5'	
Elevation1454'	County_ Harrison	District Tenmile	
Description of anticipated Pit Waste	Fluids encountered while stimula	ating subject well	
Do you anticipate using more than 5	,000 bbls of water to complete the p	proposed well work? Yes No	X
Will a synthetic liner be used in the	pit? Yes	nat mil.? 20 mil	9/29/20
Reuse (a	olication und Injection ( UIC Permit Numbe	erlisposal location)	)
Other (E	xplain		
-If oil based, what type? S Additives to be used?Water, so Will closed loop system be used? Drill cuttings disposal method? Lea -If left in pit and plan to so	ynthetic, petroleum, etc	etc NA  etc Leave in pit  Cement, Iime, sawdust Native soil, ceme	nt, lime
on August 1, 2005, by the Office of provisions of the permit are enforced law or regulation can lead to enforce I certify under penalty of application form and all attachmentationing the information, I believe penalties for submitting false information.	Oil and Gas of the West Virginia I cable by law. Violations of any te ement action.  law that I have personally examints thereto and that, based on more that the information is true, account on the control of the possibility of the capaciton, including the possibility of the capaciton.	ons of the GENERAL WATER POLLUTI Department of Environmental Protection. Form or condition of the general permit and and am familiar with the information inquiry of those individuals immediately and complete. I am aware that fine or imprisonment.	d/or other applicable on submitted on this tely responsible for
Company Official Signature			
Company Official (Typed Name)_	Diane White		
Company Official Title	Agent		
Subscribed and sworn before me th	is 19 day of Septement of Septe	Office of Oil & Cas  OCT 0 6 2014  Notary Public	
My commission expires	NOV. 12. 2018	STATE O TINA HG 5260	FICIAL SEAL ARY PUBLIC F WEST VIRGINIA L. PETHTEL Energy, LLC Dupont Road West Virginia 26101 n Expires Nov. 12, 2018

Operator's Well No. J. T. Williams 15

£	EGEND	
Property Boundary	Diversion William 1	
Rond = = = = = = = = = = = = = = = = = = =	Spring O	
Existing Fence — X — X — X —	Wet Spot	
Planned Fence / / /	Drain Pipe with size in inches	
Stream	Waterway $\longleftrightarrow$	• <del>-</del>
Open Ditch	Cross Drain	
Rock ESSE	Artificial Filter Strip	XXXXXXXXXXX
North N	Pit: cut walls	M
Buildings	Pit: compacted fill walls	Tree
Water wells W	Area for Land Application of Pit Was	
Drill site	<u> </u>	
0.7 a	ACTES Prevegetation pH	
Proposed Revegetation Treatment: Acres Disturbed	rievegetation pri	
Lime2 Tons/acre or to correct to pH	0.5	
500	acre (500 lbs minimum)	
Ctrow 2		
Mulch_Straw Z_Tons/ac	cre	
Seed	l Mixtures	
	Area II	
Area I Seed Type lbs/acre	Seed Type	lbs/acre
Tall Fescue 40	Tall Fescue	40
- Tail I Goods	Ladino Clover	5
Ladino Clover 5	Ladino Ciovei	
1		
Attach:		
Drawing(s) of road, location,pit and proposed area for land app	lication.	
Photocopied section of involved 7.5' topographic sheet.		
Those opice stores		
Plan Approved by: D Ward	W.	
Comments:	Received	
Comments.	Office of Oil &	n n
		Jes
	Date: 9/29/2014	
Title: Oil + Gas Inspector	Date: 1124 (2017)	
Field Reviewed?	) No	

# Reclamation Plan For: J.T. Williams No. 12

47-033-3964

Frac Permit 9/17/2014

See Page 2 for road detail to Co. Rd NOTE Use Existing Access Road REFER TO THE WVDEP **EROSION AND SEDIMENT CONTROL** FIELD MANUAL VER. MAY 2012 FOR BMPs CONTROLLING EROSION AND SEDIMENT FROM SOIL-DISTURBING OPERATIONS.

#### NOTE:

WELL LOCATION WAS BUILT AND RECLAIMED UNDER DRILLING PERMIT NO.47-033-3964. ONLY MINIMAL EARTHWORK WILL BE REQUIRED FOR PROPOSED WELL WORK. ALL DISTURBED AREAS WILL BE RE-VEGETATED AS PER THE SEEDING PLAN ON FORM WW-9. A SMALL WORKOVER PIT WILL BE CONSTRUCTED TO CONTAIN ANY FLUIDS RECOVERED DURING PROPOSED WELL WORK.

Frederick Fletcher & Betty Wilcox - Surface Owners

- Requested permit is for re-frac of existing well.
- Location and access roads from Co. Rd. 5/25 to the well are existing. Structures shown will be maintained.


Notes:


- All disturbed areas will be re-vegetated as outlined on Form WW-9.
- Sediment barriers and drainage structures will be maintained.
- All road grades <5% except as noted.</li>




- Existing Culvert

Note: Drawing not to Scale









### HG Energy, LLC

5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office (304) 863-3172 - Fax



September 19, 2014

Mr. Jeff McLaughlin Division of Oil & Gas 601 57<sup>th</sup> Street Charleston, West Virginia 25304

RE:

J. T. Williams No. 12 (47-033-3964) Tenmile District, Harrison County

West Virginia

Dear Mr. McLaughlin:

Enclosed are Forms WW-3A, WW-3B, WW-9, Mylar of plat, reclamation plan, topo map and copies of the certified mailing receipts for a permit to stimulate the above-captioned liquid injection well. Also enclosed is our check in the amount of \$650.00 to cover the associated permit fees.

Very truly yours,

Diane White

Diane C. White

Enclosures

Received
Office of Oil & Gas
OCT 0 6 2014

cc:

Frederick Fletcher – Certified Wolf Run Mining - Certified Sam Ward - Inspector